

Saint Johnsville Police Department-Monthly Report

2018

CALLS FOR SERVICE SUMMARY

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	YTD
ALARM	04	02	01	00	04	03	01	01	03	03			22
AID-PD	02	05	08	07	07	08	04	05	04	01			51
AID-EMS	07	02	02	07	06	05	06	02	03	05			45
AID-FIRE	03	01	00	00	02	00	02	00	00	01			09
ANIMAL COMPLAINTS	05	03	06	07	12	05	06	04	05	07			60
AUO	03	01	03	03	04	02	02	00	00	00			18
ASSIST CITIZEN/MISC	30	29	37	44	48	37	26	32	33	26			342
CHECK WELFARE/CONCERN	05	03	05	03	05	04	04	05	02	01			37
CRIMINAL TRESPASS/BURGLARY	00	01	01	01	02	03	01	02	01	00			13
CIVIL	01	04	01	01	02	04	03	03	04	02			25
CRIMINAL MISCHIEF	01	01	01	01	02	04	02	03	01	02			17
DISABLED VEHICLE	00	01	01	01	01	01	01	00	01	01			08
DOMESTIC COMPLAINTS	03	05	03	02	04	05	00	00	04	02			28
DISORDERLY PERSONS	06	01	04	03	02	03	03	05	06	05			38
DWI	00	00	00	01	00	01	00	00	00	00			02
FOOT PURSUIT	00	01	00	00	00	00	00	00	00	00			01
FRAUD	02	01	05	04	03	02	01	01	02	01			22
HANG-UPS/911	08	03	08	06	05	05	06	01	02	03			47
HARASSMENT/ASSAULT	04	06	02	07	11	07	03	05	10	06			61
INTOXICATED PERSON/DRUGS	01	02	01	00	02	02	01	01	00	00			10
LOCK-OUTS	03	04	03	01	02	03	03	01	02	02			24
LARCENY	00	04	01	02	05	01	02	02	04	04			25
NEIGHBOR PROBLEMS	00	01	00	00	00	00	00	01	01	01			04
NOISE CALLS	00	02	00	00	05	03	00	00	00	02			12
PARKING COMPLAINTS/V&T	07	04	09	00	05	10	10	10	06	06			67
PDAA-MVA	04	03	04	04	02	03	03	05	04	02			34
REMOVE PERSON/MHL 9.41	02	02	01	02	01	04	02	00	00	01			15
SUSPICIOUS PERSON	08	02	02	03	03	07	01	07	11	05			49
SHOPLIFTERS	00	00	00	00	01	00	02	00	02	00			05
TRESPASS	00	01	02	03	05	00	02	02	04	02			21
UPM	00	01	01	00	01	01	01	01	01	01			08
UNSECURED BUILDING	00	04	01	05	01	01	01	01	01	00			15
VILLAGE ORDINANCES	01	01	03	01	01	03	03	02	04	01			20
WARRANT ARRESTS	01	01	01	02	00	01	02	02	00	01			11

Saint Johnsville Police Department-Monthly Report
2018

CALLS FOR SERVICE SUMMARY

DEPARTMENT INFORMATION	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	YTD
BINGO INSPECTIONS	05	04	04	04	03	03	03	03	03	04			36
FOOT PATROLS	20	23	23	20	16	18	19	07	10	09			165
HOUSING PATROLS	54	46	57	70	47	53	53	50	47	58			535
HANDICAP PERMITS	00	03	03	03	00	03	02	01	03	01			19
RESIDENCE CHECKS - Per residence	54	46	57	70	47	53	53	50	47	58			535
STREET LIGHTS OUT	03	07	04	06	04	00	04	06	01	07			42
BANK ESCORTS	08	00	00	00	00	00	00	00	00	00			08
CASES ASSIGNED													
NEW CASES	91	68	74	70	99	107	61	62	73	52			758
CLOSED CASES	88	66	69	69	95	104	54	62	68	46			721
OPEN CASES	03	02	05	01	04	03	07	00	05	06			36
CLOSED BY ARREST	05	08	06	09	12	10	04	04	04	04			66
CALLS FOR SERVICE	204	170	216	232	225	220	165	162	180	168			1942

ARRESTS

PENAL LAW/ARRESTS	03	07	01	06	03	08	02	02	04	03			36
JUVENILE PETITIONS	00	00	00	00	00	00	00	00	00	00			00

UTTS/PARKING

VEHICLE AND TRAFFIC TICKETS	17	02	11	14	19	30	08	02	04	05			112
PARKING TICKETS	02	13	03	01	00	00	00	00	01	03			23

ITEMS OF INTEREST:

Assist Citizen/Misc. Call For Service Category: Information requests, FOIL requests, Property (lost, found, retrieval), Landlord/Tenant issues, SOR address verifications and registrations, order of protection violations, missing person and health and safety hazards.

Arrest Charges: (2) Criminal Contempt 2nd (1) Unlawful Possession of Marijuana (1) Harassment 2nd , and (1) Suspended Registration

Village of St. Johnsville
Superintendent's Report

Month: Nov-18

Vehicle mileage/hrs. report (As of 11/1/2018)

<u>Vehicle</u>	<u>Miles</u>	<u>Hours</u>	<u>Monthly Usage</u>
2014 F-350 pickup	39,932		638
2014 F-550 dump truck	13,445		269
2001 F-550 dump truck	42,502	(Odometer/dash not working)	
1999 F-450 flat bed	101,024		91
2004 Case 580M TLB		7,527	19
2004 Bobcat S250 skid steer		2,484	8
2005 Freightliner FC-80 (street sweeper)	13,284		8
2013 Yanmar EX-3200 compact tractor w/backhoe		327	3
2003 Kubota BX2200 compact tractor		1,385	4
Kubota BX2200 compact tractor (snowblower)		2,502	1
2010 Ferris Procut S zero turn mower		1,393	1
2014 Ferris Procut S zero turn mower		427	13
1991 GMC 3500 bucket truck	64,200		1
1990 International dump truck	43,620		6
2015 Tarco XV600 Leaf picker		256	24
1999 Vermeer BC1230A Chipper		7,070	7
WolfPac 3100 Asphalt Roller		1,386	1

Work Orders Completed

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1125	35 Hough St.	10/18/2018	\$57.00

Description of work done

Burkdorf's Lumber @ 35 Hough St. complained that the water pressure inside their business hasn't been as good since we replaced their curb stop shut off on 9-5-18. Went over with the backhoe and street sweeper vacuum hose and cleaned down to the curb stop shut off valve. It was discovered that the 1/2" copper water line that we crimped in order to replace curb stop valve was not opened all the way. We placed the crimping/uncrimping tool on to the water line and opened it all the way. Checked with Burkdorf's who turned on their water and said that the water pressure was now as good as it was before 9/5/18. Filled the hole back in with the sand and crusher run that we took out of it level to the street and tamped firm.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1126	Old Meadow Rd	10/22/2018	\$728.55

Description of work done

Sewer manhole shaft on northern end of Old Meadow Rd near Hilltop Dr partially collapsed. We cleaned out broken bricks down to solid ones and rebuilt shaft 5 layers of brick. Each layer of brick was secured with mortar. The manhole ring was then placed on top and also secured with mortar. Finally, we backfilled behind the shaft and ring with concrete approximately 2 inches up the ring. This was done to reinforce both the ring and the bricks underneath. Filled with cold patch level to street and tamped firm. In the spring we will remove the cold patch

and fill with hot mix as we are unable to purchase hot mix at this time of the year.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1127	Monroe St	10/22/2018	\$24.25

Description of work done

2 of the 3 potholes that we filled in on 10/2/18 did not set properly and washed out within 3 days. Upon suggestion from Cushing Stone Company, we purchased 3.54 tons of winter mix from them as they make it differently from Hanson's where we previously purchased it. Currently we are unable to buy hot mix locally from Hanson's as their asphalt plant is closed to anyone except for what they need for their own paving jobs.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1128	Community House	10/22/2018	\$39.25

Description of work done

Spoke with Mike Bartlett whose backyard borders Community House parking lot. Last winter during snowplowing the curb in the parking lot that diverts water into the storm sewer was broken causing Mr. Bartlett's backyard to flood. Cleaned the area of debris and laid a new curb of fresh winter mix. In the spring we will fix permanently with hot mix as we can not purchase hot mix this time of the year.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1004	Community House	10/22/18	\$21.25

Description of work done

Front door weather stripping on Community House needed replacing. Removed old weather stripping and replaced with new 7/8" vinyl exterior door weather stripping.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1129	Park Place	10/23/18	\$57.00

Description of work done

Received phone call from Chief Callen asking us to move the NO SMOKING sign at the Kinney's bus stop down to the center of the parking lot where children gather to wait for the bus. Upon arrival we noticed that none of the bus stop signs were clearly visible and were obstructed by brush and vegetation. We cut back and trimmed all of the brush and weeds along the fence line. Moved NO SMOKING sign to center of parking lot. All signs are now unobstructed and clearly visible.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1130	East Main St	10/30/18	\$42.75

Description of work done

Dead pine tree located on Village property on East Main St. Cut tree down and ran all branches and trunk through chipper. Cut stump level to ground and cleaned area up of any debris.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1131	S&S Park	10/30/2018	\$64.13

Description of work done

Several low hanging branches along wall at Soldiers & Sailors Park. Trimmed all branches and ran through chipper. Cleaned area up of all debris.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1132	Fowler Dr/Rockefeller Dr	10/31/2018	\$85.50

Description of work done

Several low hanging branches protruding into street and several light poles obstructed by brush on Fowler Dr/Rockefeller Dr. Cleared away brush from around light poles and trimmed all low hanging branches along street.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1133	1997 F-350 dump truck	11/5/2018	\$113.37

Description of work done

Spill sides on 1997 Ford F-350 dump truck were rotten and unable to use for yard debris and/or snow removal. Rebuilt the sides with pressure treated 2x12x8 boards, 2x4x2 boards and 2 1/2 inch deck screws.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1134	WWTP	11/7/18	N/A

Description of work done

Request by Charlie Straney to run street sweeper down through WWTP parking lot and roadway. Ran sweeper through picking up all leaves and debris that were in the parking lot and roadway of WWTP.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1135	13 Sanders St.	11/8/2018	\$15.72

Description of work done

Received phone request from Stacy Chapman @ 13 Sanders St. to have her water turned on. After turning water on it was discovered that her water meter had a broken frost plate. Replaced broken frost plate with a new one and turned water back on.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1136	Ann St.	11/9/2018	\$256.44

Description of work done

Received phone call from Karyn Bergen of Ann St. (518)224-8205 claiming that her sewer was backing up into her toilet and she was unable to run water as her drains were backing up as well. We ran the camera up the main sewer line on Ann St. and found no significant blockage. We then jetted 250 feet up the street which went 35 feet past Ms. Bergen's residence. Did not find any major blockage. Called Ms. Bergen and informed her that the main sewer line was flowing free without any blockage.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1137	Hough St.	11/13/2018	\$272.95

Description of work done

Discovered water leak on Hough St. near 20 Hough St. and National Grid pole #21. Dug out with backhoe and found leak just above main water line. Hole was in the lead pipe approx. 6" from main going into house. Placed 1/2"x6" redi-clamp around leak. Leak stopped. Back filled with crusher run and power tamped. Will return in a week after settling to put down more crusher run as needed and top with cold patch level to street.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1138	N/A	11/14/2018	\$93.98

Description of work done

Replaced return hydraulic line on Tarco sander Highlander Jr. HL-HY1-JR-8-VI-SS. Hose that came with sander was not strong enough (300 psi) and kept rupturing. We replaced with 1/2" 3550 psi hydraulic hose and fittings.

Additional past month projects

- 16-Oct Readied Kubota BX2200 (mower) for winter. Removed deck and cleaned away any debris, sharpened blades, greased all fittings.
- 16-Oct Repaired water leak at Marina laundry (by boat launch) and replaced broken inside water shutoff.
- 16-Oct Shut water off and opened all faucets at cemetery for winter
- 17-Oct Shut water off and winterized food booth at Soldiers & Sailors Park
- 17-Oct Shut water off and winterized boat launch laundry and bathrooms at Marina
- 19-Oct Thoroughly cleaned inside holding tank of street sweeper. Removed screens and cleaned them out. Also washed exterior and cleaned and greased all fittings. Ready for winter.
- 19-Oct Winterized Jetter machine and stored under cover at Sewer Plant garage for winter.
- 22-Oct 2014 Ford F-550 dump truck inspected (MW Roosevelt)
- 22-Oct Installed storm doors inside Community House
- 22-Oct Brought flower pots in front of Community House downstairs for winter storage.
- 23-Oct Received 22.35 tons of salt from Atlantic Salt (hailed by Carver)
- 23-Oct Went to Rifenburg's and got 17.9 tons of sand. We mixed this with some salt and stored in bay #1 of the salt shed to use during freezing rain storms this winter.
- 24-Oct Mark Trombetta and I attended Laboratory class taught by NYRWA in Hoosick Falls for our water licenses.
- 24-Oct Received 44.14 tons of salt from Atlantic Salt (hailed by Carver)
- 24-Oct Readied 2010 Ferris Procut S mower for winter. Washed away debris, changed oil, sharpened blades, greased all fittings and stored in garage at Soldiers & Sailors park for winter.
- 24-Oct Readied 2014 Ferris Procut S mower for winter. Washed away debris, changed oil, replaced blades, greased all fittings and stored in garage at Soldiers & Sailors park for winter.
- 25-Oct NYS Canal Authority came and pulled the dock poles at Marina. We then folded the docks up and tied them off for winter.
- 24-Oct Shut water off and winterized pedestals along Marina dock wall.
- 29-Oct Raked out Filter Bed #2 and removed layer of sand at sand filtration plant.
- 31-Oct Mounted sander on to 1999 F-450 flat bed.
- 1-Nov Shut water off and winterized new bathrooms and laundry at Marina.
- 5-Nov Towed police impound vehicle from WWTP to behind Swartz well on Main St.
- 6-Nov Cleaned out area in pole barn to store 1991 GMC Bucket Truck
- 8-Nov Turned off water to Marina Campsites, drained lines and removed all water valves from each site. Valves labeled from each site they came from and stored in DPW garage.
- 9-Nov 2001 Ford F-550 Inspected and had front end repair completed (MW Roosevelt)

- 9-Nov Installed new cutting edge on Fisher V-Plow for 2014 F-350 pickup.
- 13-Nov Mounted snow plow, wing and sander on 2001 F-550.
- 13-Nov Mounted snow plow on 1999 F-450.

Upcoming projects

- We will continue with leaf pickup and yard debris throughout the rest of this month and continue into December if we have to and weather permitting.
- Snow season has begun already and we have been out plowing and salting thus far. We will continue to perform regular winter snow plowing/salting/removal as needed throughout the duration of winter.
- Regular preventative maintenance needs to be performed on cemetery lawn equipment now that the cemetery is closed for the season. We will be bringing mowers down to garage to work on them.
- We will be hanging Christmas decorations on the light poles on Main St. as well as the decorations at the Community House.
- We will be digging a new hole to place the Village Christmas tree on the lot owned by Carmen Licari across from the American Legion.
- We will begin insulating and siding the interior of the new addition at the DPW garage now that roof ridge has been sealed and flashed.

Burials None

<u>Streets swept</u>	<u>Date</u>
Lion Ave.	7-Nov
Lion Pl.	7-Nov
Crouse Blvd.	7-Nov
Spring St.	7-Nov
Ann St.	7-Nov

New St.	7-Nov
Kingsbury Ave.	7-Nov
Mohawk St.	7-Nov
East Liberty St.	7-Nov
Mechanic St.	7-Nov
Sanders St.	7-Nov
South Division St.	7-Nov
West Liberty St.	7-Nov
Hough St.	7-Nov
Averill St.	8-Nov
Royal Pl.	8-Nov
Old Meadow Rd.	8-Nov
Hilltop Dr.	8-Nov
Bridge St.	8-Nov
Failing Ave.	8-Nov

Village Saint Johnsville WWTP Board Report for October 2018

Daily operation: Process control which consists of samples of Mixed liquor and Return activated sludge filtered and weighed, to calculate pounds of micro organisms treating the inflow and wasting time. . Samples of influent flow and effluent flow are taken tested for P.H. levels, temperature and suspended solids. Then calculations made on how much and how long to waste to digester. Sludge Judge indicates the depth of blanket in clarifier and clear aerator rake of debris. Check electrodes, sump pump and record hours for I.P.S. also the blowers for aerator.

Weekly duties: Brush weir plate, scum baffle, troughs and skimmer arm keeping algae from building up and checking scum pit to pump if needed. Brush Parshell flume and effluent tanks, weir plates and troughs keeping algae at bay. Replace and empty barrels of solids from bar screen and buckets of solids from the cleaning of aerator rake and dump into dumpster on site. Run grit washer and dump grit into on site dumpster, and run decant pumps when needed. Clean volute, switch over R.A.S. pumps and check sump pump keeping floors clean and mopped. Fill out state report for the week.

Plant Maintenance: While still drained we repair the drain gate for the aerator the nut and bolt had deteriorated so much its about to break off completely. Would have been unable to drain in case of emergency. And cleaned, filled and parged up the crack underneath the trough for comminutor, stopped from leaking.

Clarifier #1 wrapped in snow fence and tarps on the west side to keep surface from freezing by the winter winds and breeze.

Enclosed the old influent pump troughs with CDX plywood purchased at Burkdorf's. Also to keep the bar screen from freezing, which could cause the over travel safety switch to shut down the screen overnight.

Filled some barrels with sand and salt to keep sidewalks and platform from becoming slippery and dangerous. Also some ash which we use for sealing leaking gates.

Attached plow to plants pick up truck to make sure it was in operating order before the snow starts to accumulate on grounds and roads.

Noticed water on floor of back room the last heavy rain storm. We went up on roof to investigate. Found that moss and other debris had blocked off the entrance to the drains which made the water stand and collect on roof. Removed the debris and haven't seen water on floor since then

Cut and dug out old black top from the road and replace with heated temporary material. Used the blow torch to heat up black top before filling and rolling out the material it

seems to be holding up so far.

Snow blower pulled out of back room changed the oil, drained the old gas from bowl of carburator and tank. Tightened down the loose parts and put in new gas fired it up and run a few minutes.

Raked up the leaves and weed eat around fence line, the new bathrooms out front before the snow arrives.

Pulled the gate for Barscreen by pass, much easier this time, and cleaned the trough behind the gate of grit and suspended solids accumulation. Then replaced gate till next month.

Plant's avg. daily flow:	220,000 gallons per day
Peak Flow :	900,000 gallons
Suspended Solids:	178 lbs per day in/ 15.4lbs
BOD 5:	177 lbs per day in/ 8.9 lbs out
Grit removed:	14 cubic feet
Screenings removed:	32.4 cubic feet

CODE ENFORCEMENT OFFICER REPORT
 Village of St. Jamesville

Building Permits

#	NAME	DATE	PROJECT	SBL#	CO	DATE
28-18	Henry Morford 6 Westview Rd St. Jamesville, NY 13452	10/26/18	JUSTINIANI PERFORMS SMO (S-114) on property, spot where damage was	---	B.P	10/26/18
29-18	Faith More 67 W. Main St St. Jamesville, NY 13452	10/26/18	REPAIR EXISTING STAIRS TO SECOND FLOOR (COPING), FRONT REAR CHIMNEY FLASH REPAIR WITH A D.P. SACK	---	B.P	10/26/18
30-18	Lafayette Sweet 44 E. Main St St. Jamesville, NY 13452	10/26/18	DETACH EXISTING HOME FROM STAIRS TO WHICH COULD NOT BE ATTACHED OF STAIRS	---	B.P	10/26/18
31-18	Loren Smith 9 Cottage St St. Jamesville, NY 13452	11/2/18	HAVING COMPLETE REPORT EXISTING HOME WITH NEW STAIRS NEW STAIRS, ICE & WATER	8-44-1-35	B.P	11/2/18
22-18	Walter Miles 44 Center St St. Jamesville, NY	11/2/18	CONTRACTOR TO REMOVE AND REPLACE BACK STAIRS TO SECOND FLOOR STAIRS ARE STAIRS / NOT IN STAIRS CONTRACTOR INSTALLED GROUND MOUNT PILLARS PER STAIRS PERMITS. (Village 508)	8-44-3-7	B.P	11/2/18
33-18	Scott Liberty 6500 Sheridan Drive Suite 130 Jamesville, NY 13421	10/15/18		88-1-1-121	B.P	11/9/18
34-18						

