

RESPONSE REPORT:

Total Responses: 24	Fires: 5	MVA: 3	Service: 2	False Alarm: 5	Unsafe Condition: 7	
	Other: 1					
By Location:	STJ Vill. 8	STJ To. 6	Minden: 1	Manhiem: 2	Palatine:	Danube: 1
	Fult. Co.	Other:	Canjo: 2			

Comments on specific incidents:

Structure Fire at Rt 5 and Fox Road:

- Reported structure fire by passerby
- Well involved upon arrival
- Size of fire and limited initial manpower required Defensive Operation
- Used hydrant on Lyon Ave. Due to limited manpower and lack of adequate static water supplies near the fire scene.
- No civilian or firefighter injuries
- Multiple Departments and County units on scene
- Returned multiple times for additional wet-down as a result of deep seated coals and large piles of debris

GENERAL REPORT:

- Reviewed and posted Sexual Harassment Policy and complaint form supplied by Village Office
- 3 members attended Tactical Fire-ground Simulations course provided by OFPC (12 hours of training)
- Working on selecting SCBAs to be purchased with FEMA AFG grant.
- Working with Sheriffs Office and Fort Plain FD to smooth out Automatic Aid Policy
- Annual Banquet April 27th.
- Annual physicals are complete
- Waiting on at least 1 driver to be added to fuel pump.

VOLUNTEER HOURS:

On-Scene Time:	21 hrs
Emergency Man Hours:	214 hrs
Training Man Hours:	83.5 hrs

Contact information:

Chief Chris Weaver: 518-857-7660
Asst. Chief Alex Countryman 315-726-0476
Asst. Chief Shannon Countryman 518-848-1283

VILLAGE OF ST. JOHNSVILLE

Fire Department Monthly Report

February - 2019

APPARATUS REPORT:

	Hours	Hours Total	Miles	Miles Total
Engine 1 (2015 HME Pumper) <u>Comments:</u> -To be featured in HME advertising		Engine -773 Pump - 29		27,396
Engine 3 (2003 Freightliner Pumper-Tanker) <u>Comments:</u> -Upgraded headlights to LED for improved visibility		Pump - 99.9		23,590
Engine 6 (1989 Ford Pumper-Tanker) <u>Comments:</u> -Headlights were upgraded to LEDs for better visibility -Has some lights out. -Cab heater may need to be repaired. -Fuel key showed an error on 2/10				29,926
Tower 1 (1989 Sutphen Tower Ladder) <u>Comments:</u> -Generator is not working. Provides all exterior lighting on apparatus as well as plug-in power. Tower will be used for State Fire training class in April. Night lighting will be necessary. -Rear tires should be changed. -Headlights have been upgraded to LEDs for improved visibility.		9339		63086
Brush 2 (1995 Chevy) <u>Comments:</u> -Added lighting to rear bed for safer night operations. -Installed new handheld flashlight as part of flashlight upgrade on multiple apparatus. -Will be adding new equipment acquired through DEC grant.				8270
JetSki 7,8 <u>Comments:</u>		43,38		

BUILDING REPORT:

- LED lighting is installed except for outside lights.
- Dept. Needs approval to disposal or removal of old lights from station storage.
- Dept. Thanks to DPW for assisting with snow removal from apron.

Saint Johnsville Police Department-Monthly Report
2019

CALLS FOR SERVICE SUMMARY

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	YTD
DEPARTMENT INFORMATION													
BINGO INSPECTIONS	00												00
FOOT PATROLS	16												16
HOUSING PATROLS	50												50
HANDICAP PERMITS	03												03
RESIDENCE CHECKS -Per residence	50												50
STREET LIGHTS OUT	01												01
BANK ESCORTS	00												00
CASES ASSIGNED													
NEW CASES	30												30
CLOSED CASES	27												27
OPEN CASES	03												03
CLOSED BY ARREST	06												06
CALLS FOR SERVICE	188												188
ARRESTS													
PENAL LAW ARRESTS	03												03
JUVENILE PETITIONS	00												00
UTTS/PARKING													
VEHICLE AND TRAFFIC TICKETS	27												27
PARKING TICKETS	07												07

ITEMS OF INTEREST:

Assist Citizen/Misc. Call For Service Category: Information requests, FOIL requests, Property (lost, found, retrieval), SOR address verifications and registrations, missing person/child, and unauthorized use of a motor vehicle.

Arrest Charges: Unlawful Possession of Marijuana, (2) Suspended Registration, (1) Warrant, (2) Petty Larceny, (2) Possession of a Hypodermic Needle.

Monthly Department Training: Use of Force: DCJS online sponsored.

Village of St. Johnsville
Superintendent's Report

Month: Feb-19

Vehicle mileage/hrs. report (As of 2/1/2019)

<u>Vehicle</u>	<u>Miles</u>	<u>Hours</u>	<u>Monthly Usage</u>
2014 F-350 pickup	41,765		728
2014 F-550 dump truck	14,333		467
2001 F-550 dump truck	43,302		507
1999 F-450 flat bed	101,233		90
2004 Case 580M TLB		7,811	184
2004 Bobcat S250 skid steer		2,564	74
2005 Freightliner FC-80 (street sweeper)	13,335		2
2013 Yanmar EX-3200 compact tractor w/backhoe		360	13
2003 Kubota BX2200 compact tractor		1,385	0
Kubota BX2200 compact tractor (snowblower)		2,528	20
2010 Ferris Procut S zero turn mower		1,393	0
2014 Ferris Procut S zero turn mower		427	0
1991 GMC 3500 bucket truck	64,204		0
1990 International dump truck	43,709		75
2015 Tarco XV600 Leaf picker		291	0
1999 Vermeer BC1230A Chipper		7,076	0
WolfPac 3100 Asphalt Roller		1,386	0
Cub Cadet GT2542 garden tractor (cemetary)		282	0
Husqvarna YT42XLS garden tractor (cemetary)		457	0

Work Orders Completed

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1180	DPW	1/10/2019	\$97.12

Description of work done

Ruptured Left side directional hydraulic line on Bobcat V-Blade 84 snow plow mounted to Bobcat S250 skid steer loader. Replaced broken line and fitting with new.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1181	DPW	1/11/2019	\$27.19

Description of work done

Passenger side headlight blown on Fisher Xtreme V Storm Guard Minute Mount Plow. Replaced bulb with new.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1182	DPW	1/11/2019	\$129.77

Description of work done

Scrape edge on Bobcat SB240X84 snowblower needs replacing. Replaced scrape edge and bolts with new scrape edge and bolts.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1183	Cemetary	1/15/2019	\$285.74

Description of work done

Replaced LF rim, bearing and tire with new. Sharpened blades, cleaned out under deck, checked all fluids and greased all fittings. Placed washers as shims on both ends of front axle to take up slack in axle from extensive wear. New axle is over \$250.00. Hopefully this will help with the problem and extend the life span of the axle. Repairs completed at 457 hrs on tractor.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1184	DPW	1/24/19	\$37.20

Description of work done

Having issues with Bobcat S250 skid steer stalling out. Ruling out water in fuel or fuel gelling by replacing fuel filter and adding Diesel 911 anti-gel diesel treatment, Power Services brand diesel fuel treatment and Thermo-Aid water displacement treatment.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1185	DPW	1/28/19	\$60.76

Description of work done

Conveyor chain on Super P Hi-Way stainless steel gas powered sander was sloppy and had no room left for adjustment. Took 4 links out (2 on each side) and put 2 repair links (1 on each side) back in. Tightened chained accordingly. There is now plenty of adjustment on tightening bolts for future tightening adjustment.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1186	DPW	1/28/19	\$212.00

Description of work done

Having issues with Bobcat S250 skid steer stalling out. (See Work Order #1184) Ruled out water in fuel and fuel gelling up. Bench tested fuel stop solenoid and discovered it was not working properly. Ran skid steer for 2 full days by by-passing fuel stop solenoid and it worked fine. Replaced fuel stop solenoid with new. (Part # 6689034-100 Randall Implement)

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1187	38 N. Division St.	2/3/2019	\$22.84

Description of work done

Received call from Emmanuel Barolla at 38 N. Division St. claiming that water was leaking from under water meter. Discovered broken frost plate on meter and replaced with new.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1188	48 E. Main St.	2/4/2019	\$15.72

Description of work done

Received call from Sam Licari, property owner at 48 E. Main St. stating that water was leaking from meter. Spoke with tenant, John Doyle, who let us in to inspect. Discovered frost plate was broken. Replaced frost plate and verified that meter was no longer leaking. Shut water off because lines throughout basement were broken as well. Vefified this with Mr. Doyle who was going to call a plumber.

<u>Work Order #</u>	<u>Location</u>	<u>Date</u>	<u>Est. Cost</u>
1189	Center St.	2/6/2019	\$25.38

Description of work done

Large pothole on Center St. near intersecting point with N. Division St. needed filling. Cleaned out hole of debris, filled with cold patch and tamped level to street.

Additional past month projects

- 16-Jan Christmas tree pickup curbside throughout village
- 16-Jan Went to Congdon Springs to clean out screens at spring houses.
- 14-Jan Received 20.17 tons of salt from Atlantic Salt Co. (hailed by Carver).
- 16-Jan Received 21.16 tons of salt from Atlantic Salt Co. (hailed by Carver)
- 17-Jan Turned water off as requested by Dennis Smith @ 12 Timmerman Ave. so a leaky valve could be replaced. Received call from Robert Shaut (contractor) to turn off water. Turned water back on and verified after repairs.
- 18-Jan Oil, lube and filter change 2014 Ford F-550 dump truck @ 13,936 miles.
- 21-Jan Snow removal Kinney's parking lot, Royal Pl, Community House, Lion Pl.
- 22-Jan Snow removal Monroe St., Bridge St., Union St., Hough St.
- 23-Jan Snow removal W. Liberty St., E. Liberty St., Mohawk St., Sanders St.
- 24-Jan Cleaned storm drains throughout village including Main St. to prevent flooding due to heavy rainfall today.
- 25-Jan Snow removal Kingsbury Ave., Ann St., Spring St., Lion Ave., Crouse Blvd., New St.
- 28-Jan Snow removal Center St., Cross St., William St., Church St., John St., West St., Failing Ave.
- 28-Jan Greased Super P stainless steel gas powered sander
- 29-Jan Washed sander and exterior of 2001 Ford F-550 dump truck. Greased sander.
- 29-Jan Snow removal S. Division St., N. Division St.
- 29-Jan Received 19.17 tons of salt from Atlantic Salt Co. (hailed by Carver).
- 29-Jan Snow removal North Division St, South Division St.
- 31-Jan Started Main St. snow removal
- 31-Jan Snow removal Kinney's parking lot, Sanders St./South Division St. pile
- 1-Feb Snow removal Main St., Bridge St.
- 4-Feb Oil, lube and filter change for 2003 Bobcat S250 skid steer @ 2,564 hours.
- 5-Feb Got 1952 Sicard snowblower running and working.
- 6-Feb Received 20.9 tons of salt from Atlantic Salt Co. (hailed by Carver).

Upcoming projects

- We will begin constructing some picnic tables for the upcoming year. We need to build several as we had removed 5 from the playground area at Soldiers & Sailors park because of rotting condition. We also removed 3 from the Marina campground for the same reason and 1 was crushed by the fallen tree near the pavillion. We have not been able to start this project yet as a result of the weather patterns this winter has provided us with.
 - Continue with regular scheduled maintenance of village vehicles and equipment
 - We will continue insulating the interior of new addition to DPW garage this month
- This project along with the picnic tables has been put on hold due to the weather and cold temperatures that we have been experiencing this winter.
- Performing regular winter duties - plowing, salting and snow removal.

- We will continue with the brush clearing project along the railroad bridge on both sides of the tracks when we are able to do so.

Village Saint Johnsville WWTP

Monthly Report

Daily Responsibilities: Process control and record plant flow data. Clean off aerator rake and inspect influent pump system, clean off barscreen tray and check for issues. Collect and record aerator data and dissolved oxygen samples. Inspect basement for issue with sump pump. Collect and record sludge blanket thickness data. Run a settleometer test for sludge density and solids count. Microscope observations.

Weekly duties: Brush down Clarifier, effluent tanks and wier plates. Also clean off Parshell flume and sensor for flow monitor. Clean grit channel, run grit washer and dispose in dumpster. Dispose barscreen solids barrels and the aerator rakes buckets. Globes cleaned and filters kept clear of water and debris. Grease rake and check front of barscreen for grit and rocks, also tray and floors hosed off when necessary or weather permitted. Clarifier motor checked and chain oiled, platform cleaned of snow and ice.

Winter weather related duties: Keeping Aerator and digester platform free and clear of snow and ice. Sidewalks and steps by blower building and barscreen snow free. Keeping barscreen free of ice and just recently monitoring the screen more often because of sewer main plug ups bursting and collecting on screen. Plowing entrance road and plant lot. Use of backhoe move back snow piles and keeping back entrance clear to access village dump. Chopping holes in the ice to access decant pumps and freezing around power cords and lanyards. Also while pumping out water keeping ice layer from collapsing on pumps. Solids barrels and buckets from freezing. When wasting thaw out gates with torch without burning or scaring gate seals.

Other projects accomplished: Repaired cover on the influent flow pipe chase, heavy snow collapsed cover. Removed the old worn packings and replaced with new on the R.A.S. pump #2. Performed preventive maintenance on barscreen, influent pump system and clarifier. Repaired the water line for shower and bathroom sink. Snow blower to clear out from between clarifiers to have access to scum pit and pump scum to digester. Repair clarifier skimmer heavy snow bent the frame.